


Manufacturer	Device Group	Lead Device	Devices that will automatically "pass" once lead device "passes".	Notes
	GSM / GPRS Motorola OS Platform Clamshell Style			JavaME Platform Specification
	176w x 204h (FullScreen Mode)	V550		JSR-30 CLDC 1.0, JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API
	176w x 204h (FullScreen Mode)	V600	V500, V525, V300	JSR-30 CLDC 1.0, JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API
	176w x 204h (FullScreen Mode)	V635		JSR-30 CLDC 1.0, JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API
	176w x 204h (FullScreen Mode)	RAZR V3i(+)		JSR-75 PIM / FileConnection API, JSR-82 Bluetooth API, JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-185 JTWI, JSR-205 WMA 2.0
	176w x 204h (FullScreen Mode)	PEBL (+)	V360 (+)	JSR-75 PIM / FileConnection API, JSR-82 Bluetooth API, JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-205 WMA 2.0
	176w x 205h (FullScreen Mode)	KRZR K1 (+)		JSR-75 PIM / FileConnection API, JSR-82 Bluetooth API, JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-185 JTWI, JSR-205 WMA 2.0
	GSM / GPRS Motorola OS Platform Candybar Style			JavaME Platform Specification
	176w x 204h (FullScreen Mode)	L7 SLVR (+)		JSR-75 PIM / FileConnection API, JSR-82 Bluetooth API, JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-185 JTWI, JSR-205 WMA 2.0
	176w x 204h (FullScreen Mode)	ROKR E1 (+)		JSR-75 PIM / FileConnection API, JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-185 JTWI, JSR-205 WMA 2.0
3G / GPRS / GSM Motorola OS Platform Candybar Style			JavaME Platform Specification	
240w x 299h (FullScreen Mode)	E1000		JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-184 3D API, JSR-185 JTWI	
176w x 204h (FullScreen Mode)	C980		JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-184 3D API, JSR-185 JTWI	
3G / GPRS / GSM Motorola OS Platform Clamshell Style			JavaME Platform Specification	
176w x 204h (FullScreen Mode)	V980		JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-184 3D API, JSR-185 JTWI, JSR-205 WMA 2.0	
240w x 299h (FullScreen Mode)	V1050		JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-184 3D API, JSR-185 JTWI	
240w x 300h (FullScreen Mode)	V3x (+)		JSR-75 PIM / FileConnection API, JSR-82 Bluetooth API, JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-184 3D API, JSR-185 JTWI, JSR-205 WMA 2.0	
240w x 300h (FullScreen Mode)	V3xx (+)		JSR-75 PIM / FileConnection API, JSR-82 Bluetooth API, JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-177 Security & Trust Services, JSR-184 Mobile 3D Graphics, JSR-185 JTWI, JSR-205 WMA 2.0	
GSM / GPRS Motorola OS Platform Slider Style			JavaME Platform Specification	
176w x 205h (FullScreen Mode)	MOTORIZR Z3 (+)		JSR-75 PIM / FileConnection API, JSR-82 Bluetooth API, JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-177 Security & Trust Services, JSR-185 JTWI, JSR-205 WMA 2.0	
GSM / GPRS / EDGE MOTOMAGX OS Platform			JavaME Platform Specification	
240w x 320h (FullScreen Mode)	MOTORAZR2 V8 (+)	MOTOROKR Z6, MOTOROKR Z6w	JSR-75 PIM / FileConnection API, JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-184 3D API, JSR-185 JTWI, JSR-205 WMA 2.0	
240w x 320h (FullScreen Mode)	ROKR EM35	MOTO VE66	JSR-75 PIM / FileConnection API, JSR-82 Bluetooth API, JSR-118 MIDP 2.0, JSR-120 Wireless Messaging API, JSR-135 Mobile Media API, JSR-139 CLDC 1.1, JSR-172 Web Services APIs, JSR-177 APU / CRYPTO, JSR-179 Location, JSR-184 3D API, JSR-185 JTWI, JSR-205 WMA 2.0, JSR-211 Content Handler API, JSR-226 Scalable 2D Vector Graphics	
MOTOROLA Developer Resources and Information				
Online Knowledgebase, Technical Support, API Documentation, Multi Media Guides and Software Development Kits (SDK) are available from MOTODEV				
http://developer.motorola.com				
Samsung				
http://developer.samsungmobile.com				
160 x 128	X670		CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135)	
220 x 176	E780		CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Bluetooth API (JSR82), Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), FileConnection and PIM API (JSR-75)	
320 x 240	D820	D600	CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Bluetooth API (JSR82), Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), FileConnection and PIM API (JSR-75)	
240 x 320	Z540	Z110	CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135)	
176x192	Z107	Z105	CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135)	
176 x 220	E720	E530, E620	CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Bluetooth API (JSR82), Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), FileConnection and PIM API (JSR-75), samsung-utility	
128 x 160	X810		CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Bluetooth API (JSR82), Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), FileConnection and PIM API (JSR-75), samsung-utility	
176 x 220	E770	E860V, X800	CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, FileConnection and PIM API (JSR-75), Wireless Messaging API (JSR-120), Bluetooth API (JSR82), Mobile Media API (JSR-135)	
176 x 220	Z330		CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Wireless Messaging API (JSR-120), Bluetooth API (JSR82), Mobile Media API (JSR-135)	
176 x 220	Z140		CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Mobile Media API (JSR-135), Wireless Messaging API (JSR-120), Mobile3d	
176 x 220	Z500		CLDC 1.0, CLDC 1.1, MIDP 1.0, MIDP 2.0, Mobile Media API (JSR-135), Wireless Messaging API (JSR-120), Mobile3d	
BerQ Siemens				
For more information visit www.benqmobile.com/developer				
45 Platform				
a. 101*64 Pixels	M50	C55, C56, CT56, 6688; MT50, M46, 3118	MIDP 1.0, CLDC 1.0, Siemens Color Game API	
b. 101*80 Pixels		SL45i		
55 Platform				
a. 101*80 Pixels	S55	C60, SL55, S56, S57, SL50, SL56	MIDP 1.0, CLDC 1.0, Siemens Color Game API, Siemens Extension	
		M55, M56	MIDP 1.0, CLDC 1.0, Siemens Color Game API, Siemens Extension API, M55 LED API	
		MC60	MIDP 1.0, CLDC 1.0, Siemens Color Game API, Siemens Extension API, BMP Encoding API	
		M57, MC60, MC66, A65		
b. 128x128 Pixels		AX75, CF62, CF110, AF51, AL21, AX72	MIDP 1.0, CLDC 1.0, CLDC 1.1, Siemens Color Game API	
Developer Platform 1.0				
	SX1		MIDP 1.0, CLDC 1.0, Siemens Color Game API	
65 Platform				
a. 132*176 Pixels	CX65 (+)	CX65(+), CXT65(+), CXV65(+), CX66(+), CX70 (+), CX70E(only+), C75, CX75(+), CXV70(+), C75V(+)	MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0	

		M85(+), M6V(+), M6C(+), M75(+), ME75(+)	MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0, Siemens Color Game API, Siemens Extension API		
		S65(+), S6V(+), S6C(+), S66(+), SK65(+), SP65(+)	MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0, 3D API, Bluetooth API		
b. 130*130 Pixels	C65 (+)	C65(+), CT65(+), CV65(+), C66(+), CT66(+), CV66(+), SL65(+), C70(+), C72V(+)	MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0		
c. 128x160 pixels	CF75(+)	CF76(+)	MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0, 3D API, Bluetooth API, PDA Optional Package for J2ME Platform		
	CFX65		MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0		
Generation 75					
a. 132*176 Pixels	S75(+)	SL75(+), C81(+), M81(+)	MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0, 3D API, Bluetooth API, PDA and FileAccess Optional Package for J2ME Platform, Web Services		
b. 132*176 Pixels	S68 (+)		MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0, 3D API, Bluetooth API, PDA and FileAccess Optional Package for J2ME Platform, Web Services. Less codecs supported than with "S75-lead device".		
c. QVGA	EL71(+)	E71(+)	MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, WMA 1.1, Location API, JTWI 1.0, 3D API, Bluetooth API, PDA and FileAccess Optional Package for J2ME Platform, Web Services, Mobile Internationalization API		
UMTS Platform					
3G Platform 1 QVGA	SKG75(+)	EF81(+), SL91(+)	MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, Location API, 3D API, PDA and File Access Optional Package for J2ME Platform, Bluetooth		
Others					
Others	CL75		MIDP 1.0, MIDP 2.0, CLDC 1.0, CLDC 1.1, MMA 1.0, WMA 1.0, JTWI 1.0, Mobile Information Device Profile		
Sony Ericsson				For more information visit http:// developer. sonyericsson.com	
JP-1 (T610)					
a. 128x160	T610	T616, T618, T628, T630, T637***, Z600, Z608	CLDC 1.0, MIDP 1.0, MMAPi (JSR-135) (Audio only), WMA 1.0 (JSR-120) (only T616 and T637)		
JP2 - JP8.5					
JP-2 & JP3 (Z1010/K700)					
a. 128x128	K300(+)	K300x(+), J300x**(+)	CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), JTWI R1 (JSR-185), WMA 1.1 (JSR-120), MMAPi (JSR-135), Nokia UI API 1.1, Mobile 3D (JSR-184), Mascot Capsule v3 API		
b. 128x160	K500i	K500x*, Z500x*, F500x*, K506x*, K508x			
c. 176x220	K700i	K700x*, Z1010, Z1010 (JP-2)			
d. 240x320	S700i	S700x*, S710x*			
JP-4 (V800)					
a. 176x220	V800i (+)	Vodafone V802SE (+), Z800x(+), Z800i(+)	CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), JTWI R1 (JSR-185), WMA 1.1 (JSR-120), MMAPi (JSR-135), Nokia UI API 1.1, Mobile 3D (JSR-184), Mascot Capsule v2 API, VSCL 2.0 (only in V800i)		
JP-5 (K750i)					
a. 128x160	Z520(+)	Z520x(+), Z525x(+)	CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), WMA 1.1 (JSR-120), MMAPi (JSR-135), JTWI R1 (JSR-185), Bluetooth API (JSR-82), PIM and File Connection API (JSR-75), Mobile 3D (JSR-184), Nokia UI API 1.1, Mascot Capsule v3 API, VSCL 2.0 (only in V800)		
b. 176x220	K750i(+)	K600x(+), K608x(+), V600x(+), K750x(+), D750x(+), W750x(+), K758x(+), W700x(+), W800x(+)			
JP-6 (W550i)					
a. 128x160	Z530(+)	K310x**(+), K320x(+), K510x(+), W200x(+), W300x(+), Z530x(+)	CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), WMA 1.1 (JSR-120), WMA 2.0 (JSR-205), MMAPi (JSR-135), JTWI R1 (JSR-185), Bluetooth API (JSR-82), PIM and File Connection API (JSR-75), Mobile 3D (JSR-184), Web Services API (JSR-172), Nokia UI API 1.1, Mascot Capsule V3 API		
b. 176x220	W550i(+)	W550x****(+), W600x****(+), Z550x(+), Z558x(+), W810x(+)			
c. 240x320	W900i(+)	W900x(+)			
Sony Ericsson (contd.)				For more information visit http:// developer. sonyericsson.com	
JP-7 (K610i) ****					
a. 128x160	Z310(+)	Z310x(+)	CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), JTWI (JSR-185), WMA 1.1 (JSR-120), PIM and File Connection (JSR-75), Web services API (JSR-172), WMA 2.0 (JSR-205), MMAPi (JSR-135 audio playback only)		
b. 176x220	K610i(+)	K530x(+), K550x(+), K610x(+), K618(+), V630x(+), W610x(+), W660x(+), W710x(+), Z610x(+), Z710x(+)	CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), JTWI (JSR-185), WMA 1.1 (JSR-120), MMAPi (JSR-135), Nokia UI API 1.1, Mobile 3D (JSR-184), Mascot Capsule Ver.3, PIM and File Connection (JSR-75), Web Services (JSR-172), WMA 2.0 (JSR-205), Advanced Multimedia Supplements (JSR-234, camera capabilities only), Bluetooth API (JSR-82), VSCL 2.0 (only in V630)		
c. 176x220	W350(+)	W350x**(+), W380x**(+), Z555x**(+)			
d. 240x320	K800i(+)	K770x(+), K780x****(+), K800x****(+), K610x****(+), K818c****(+), S500x(+), T650x(+), T658c(+), W580x(+), W830x****(+), W850x****(+), W880x(+), W888c(+)			
JP-8 (K850i)					
a. 176x220	K630(+)	K630x(+), V640x(+)	CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), JTWI (JSR-185), JSR-120 (WMA), JSR-135 (MMAPi), Nokia UI API 1.1, JSR-184 1.1 (Mobile 3D), Mascot Capsule V3, JSR-75 (PIM and File Connection API), JSR-82 (Bluetooth), JSR-172 (Webservices), JSR-205 (WMA 2.0), JSR-234 (AMS), JSR-248 (MSA), JSR-226 (SVG), JSR-177 (Security & Trust), JSR-179 (Location), JSR-180 (SIP), JSR-211 (Content Handler), JSR-229 (Payment), JSR-238 (Internationalization), JSR-239 (OpenGL ES), JSR-256 (Mobile Sensor)		
b. 240x320	W910(+)	G502x(+), K660x(+), K850x(+), K858c(+), TM506x(+), W908c****(+), W910x****(+), W690x(+), W698c(+), W902x(+), Z750x(+), Z770x(+)			
JP-8.3 (W760i)					
a. 240x320	W760i(+)	C702x(+), C902x(+), T700x(+), W955x(+), W760x****(+), W960x(+), Z760x(+)	CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), JTWI (JSR-185), JSR-248 (MSA), JSR-226 (SVG), JSR-177 (Security & Trust), JSR-179 (Location), JSR-180 (SIP), JSR-211 (Content Handler), JSR-229 (Payment), JSR-238 (Internationalization), JSR-239 (OpenGL ES), JSR-256 (Mobile Sensor)		
JP-8.4 (C905i)					
a. 240x320	C905i(+)	C510x(+), C905x(+), C903x(+), C705x(+), W508x(+), W705x(+), W715x(+), C901x(+), Nante(x), W995x(+), T707x(+)	CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), JTWI (JSR-185), JSR-120 (WMA), JSR-135 (MMAPi), Nokia UI API 1.1, JSR-184 1.1 (Mobile 3D), Mascot Capsule V3, JSR-75 (PIM and File Connection API), JSR-82 (Bluetooth), JSR-172 (Webservices), JSR-205 (WMA 2.0), JSR-234 (AMS), JSR-248 (MSA), JSR-226 (SVG), JSR-177 (Security & Trust), JSR-179 (Location), JSR-180 (SIP), JSR-211 (Content Handler), JSR-229 (Payment), JSR-238 (Internationalization), JSR-239 (OpenGL ES), JSR-256		
JP-8.5 (Aino)					

a. 240x432	Aino(+)	Aino(x,+)	CLDC 1.1, Project Capuchin, WMA (JSR-120), MMAPI (JSR-135), Webservices (JSR-172), Security and trust (JSR-177), Location(JSR-179), SIP(JSR-180), Mobile 3D (JSR-184), Java Technology for the Wireless Industry (JSR-185), WMA 2.0(JSR-205), Content Handler(JSR-211), SVC(JSR 226), Payment API (JSR 229), AMS Camera Capabilities only(JSR-234), Internationalization(JSR-238), Open CL ES(JSR-239), MSA(JSR 248), Mobile Sensor (JSR-256), File/PIM(JSR-75), Bluetooth(JSR-82), Mascot Capsule V3, MIDP 2.1(JSR 118), Nokia UI API 1.1		
b. 240x320	Yari(+)	Yari(x,+), Hazel(+), Elm(+)	CLDC 1.1, Project Capuchin, WMA (JSR-120), MMAPI (JSR-135), Webservices (JSR-172), Security and trust (JSR-177), Location(JSR-179), SIP(JSR-180), Mobile 3D (JSR-184), Java Technology for the Wireless Industry (JSR-185), WMA 2.0(JSR-205), Content Handler(JSR-211), SVC(JSR 226), Payment API (JSR 229), AMS Camera Capabilities only(JSR-234), Internationalization(JSR-238), Open CL ES(JSR-239), MSA(JSR 248), Mobile Sensor (JSR-256), File/PIM(JSR-75), Bluetooth(JSR-82), Mascot Capsule V3, MIDP 2.1(JSR 118), Nokia UI API 1.1		
Other					
a.128x160	Z320(+)	R300(+), R306(+), Z250(+), Z320(+)	T280(+), T303(+)	CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), JTWI (JSR-185), JSR-120 (WMA), JSR-135 (MMAPI), JSR-75 (PIM and File Connection API)	
a.176x220	F305	F305 x(+), W395(+)		CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), JTWI (JSR-185), JSR-120 (WMA), JSR-135 (MMAPI), JSR-75 (PIM and File Connection API), JSR-184 1.1 (Mobile 3D), Mascot Capsule V3, Nokia UI API 1.1	
a.176x220	S302	S302x(+), W302x(+)		CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), JTWI (JSR-185), JSR-120 (WMA), JSR-135 (MMAPI), JSR-75 (PIM and File Connection API), JSR-184 1.1 (Mobile 3D), Mascot Capsule V3, Nokia UI API 1.1, JSR-205 (WMA 2.0), JSR-172 (Webservices)	
JP-1 Symbian P800					
a.208x320	P800	P800		CLDC 1.0, MIDP 1.0	
JP-2 Symbian P900					
a. 208x320	P900	P900		CLDC 1.0, MIDP 2.0, WMA 1.1 (JSR-120), MMAPI (JSR-135), Bluetooth API (JSR-82)	
JP-2 Symbian P910					
a. 208x320	P910(+)	P910x(+)		CLDC 1.0, MIDP 2.0, WMA 1.1 (JSR-120), MMAPI (JSR-135), JTWI R1 (JSR-185), Bluetooth API (JSR-82)	
JP-3 Symbian P990					
a. 240x320	P990(+)	P990x(+)		CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), WMA 1.1 (JSR-120) / WMA 2.0 (JSR-205), MMAPI (JSR-135), JTWI R1 (JSR-185), Bluetooth API (JSR-82), PIM and File Connection API (JSR-75), Web Services API (JSR-172), Mobile 3D (JSR-184), Nokia UI API 1.1, Scalable Vector Graphics (JSR 226), JSR-229 (Payment)	
b. 240x320	M600(+)	M600x(+)			
c. 240x320	W950(+)	W950x(+)			
d. 240x320	W960(+)	W960x(+)			
e. 240x320	P1(+)	P1x(+)			
f. 240x320	G700(+)	G700x(+), G900x(+)			
JP-5 Symbian (Satio)					
a. 640x360	Satio (+)	Satio (x,+)		CLDC 1.1, Project Capuchin, WMA (JSR-120), MMAPI (JSR-135), Webservices (JSR-172), Location(JSR-179), Mobile 3D(JSR-184), WMA 2.0(JSR-205), Content Handler (JSR-211), MSA(JSR 248), Mobile Sensor(JSR-256), File/PIM(JSR-75), Bluetooth(JSR-82), MIDP 2.1(JSR 118), Nokia UI API 1.1	
Windows Mobile X1					
a. 640x800	X1(+)	X1x(+)		CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), WMA 1.1 (JSR-120), PIM and File Connection API (JSR-75), MMAPI (JSR-135)	
Sony Ericsson Developer World					
SDK and tools, developers' guidelines, forums, articles, tutorials, API information and more.					
http://developer.sonyericsson.com					
For more information visit http://via.vodafone.com					
Devices Supporting VF Live!					
Sharp devices					
Platform 1					
a. 120x160	GX15	GX17*			
Platform 2					
a. 240x320	GX25	GX29*			
Platform 3					
a. 240x320	SH902	SH703, SH903, SH802			
Platform 4					
a. 240x320	GX30/30i	GX20*			
Platform 5					
a. 120x160	GX10/10i				
Platform					
a. 240x320 QVGA	550SH	770SH			
Sagem devices					
Platform 1					
a. 128x160	MyC52	MyC52v, MyV55, MyZ5, MyV56*, MyV400v			
Platform 2					
a. 128x160	MyV65	MyV75*			
Platform 3					
a. 176 x 240	MyV76				
Samsung Devices					
Platform 1					
a. 128x160	E810	E310, E710			
Platform 2					
a. 128x160	X660V				
Platform 3					
a. 176 x 220 pixels	D500				
Platform 4					
a. 176x192	ZV10	ZV30*			
Devices Supporting VF Live! (cont'd.)					
Panasonic devices					
Platform 1					
a. 120x128	X60	X400			
Platform 2					
a. 176x208	X701				
Platform 3					
a. 320x240	VS3				
Alcatel devices					
Platform 1					
a. 128x160	OL565				
Sendo devices					
Platform 1					
a. 128x160	SV663				
Toshiba devices					
Platform 1					
a. 240x320	TS921				
Platform 2					
a. 240x320	TS803				
Nokia					
For more information visit www.forum.nokia.com					
Series 40					
Series 40 1st edition					
a. 128x128 Pixels	7210	2650, 3100, 3105, 3108, 3120, 3125, 3200, 3300, 5100, 6100, 6108, 6200, 6220, 6585, 6610, 6610i, 6800, 7200, 7250, 7250i		CLDC 1.0, MIDP 1.0, Nokia UI API	

b. 128*128 Pixels CDMA Sprint Variant	6225	3205, 2365	CLDC 1.0,MIDP 1.0,Nokia UI API		
c. 128*160 Pixels	6650	7600, 6651	CLDC 1.0,MIDP 1.0,Nokia UI API		
d. 128*128 Pixels (3 soft keys)	6820	6810	CLDC 1.0,MIDP 1.0,Nokia UI API,Wireless Messaging API (JSR-120)		
e. 96*65 Pixels	3510i	3530, 3585i, 3586, 3586i, 3587, 3587i,3588i, 3589i, 3595, 6010, 6012, 6015, 6015i, 8910i	CLDC 1.0,MIDP 1.0,Nokia UI API		
Series 40 2nd edition					
a. 128*128 Pixels	6230		CLDC 1.1,Wireless Messaging API (JSR-120),Mobile Media API (JSR-135), JTWI (JSR-185), Bluetooth API (JSR-82 No OBEX), MIDP 2.0, Nokia UI API		
b. 128*128 Pixels	5140(+)	2610(+)	CLDC 1.1,Wireless Messaging API (JSR-120),Mobile Media API (JSR-135), JTWI (JSR-185),MIDP 2.0,Nokia UI API		
c. 128*128 Pixels	3220	7260(+), 6020(+), 6021(+), 6030(+)	CLDC 1.1,Wireless Messaging API (JSR-120),Mobile Media API (JSR-135), MIDP 2.0,Nokia UI API		
d. 128*128 Pixels	5140(+)	2626(+)	CLDC 1.1,Wireless Messaging API (JSR-120),Mobile Media API (JSR-135),JTWI (JSR-185), FileConnection and PIM API (JSR-75), MIDP 2.0, Nokia UI API		
e. 128*160 Pixels	6170(+)	7270(+)	CLDC 1.1,Wireless Messaging API (JSR-120),Mobile Media API (JSR-135), JTWI (JSR-185),MIDP 2.0,Nokia UI API		
f. 128*160 Pixels	6101(+)	3155(+),3155i(+),6060(+), 6102(+), 6103(+), 6070(+), 6080(+),7360(+),5070(+), 6081(+)	CLDC 1.1,Wireless Messaging API (JSR-120),Mobile Media API (JSR-135), JTWI (JSR-185), FileConnection and PIM API (JSR-75), MIDP 2.0, Nokia UI API		
g. 128*128 Pixels	6822(+)		CLDC 1.1,Wireless Messaging API (JSR-120),Mobile Media API (JSR-135), FileConnection and PIM API (JSR-75), MIDP 2.0, Nokia UI API		
h. 128*128 Pixels	6235(+)	6235(+)	CLDC 1.1,Wireless Messaging API (JSR-120), Mobile 3D Graphics API (JSR-184),JTWI (JSR-185), FileConnection and PIM API (JSR-75), MIDP 2.0,Nokia UI API		
i. 208*208 Pixels	6230(+)	8800(+), 8801(+)	CLDC 1.1,Wireless Messaging API (JSR-120),Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FileConnection and PIM API (JSR-75),Bluetooth API (JSR-82 No OBEX), MIDP 2.0,Nokia UI API		
Series 40 3rd edition					
a. 128*160 Pixels	6111(+)	6125(+), 6155(+), 6155i(+), 6255(+), 6255i(+), 6130(+)	CLDC 1.1,Wireless Messaging API (JSR-120),Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FileConnection and PIM API (JSR-75),Bluetooth API (JSR-82),MIDP 2.0, Nokia UI API		
b. 128*160 Pixels	6151 (+)		MIDP 2.0, CLDC 1.1,Bluetooth API (JSR-82), FileConnection and PIM API (JSR-75),JTWI (JSR-185), Mobile 3D Graphics API (JSR-184), Mobile Media API (JSR-135), Nokia UI API, Scalable 2D Vector Graphics API (JSR-226), Web Services API (JSR-172), Wireless Messaging API (JSR-120), Wireless Messaging API (JSR-205)		
c. 128*160 Pixels	5200(+)	6085(+), 6086(+), 3110 classic(+), 3109 classic (+), 3500 classic(+)	MIDP 2.0,CLDC 1.1,Bluetooth API (JSR-82), FileConnection and PIM API (JSR-75),JTWI (JSR-185), Mobile 3D Graphics API (JSR-184), Mobile Media API (JSR-135), Nokia UI API, Scalable 2D Vector Graphics API (JSR-226), Security and Trust Services API (JSR-177), Web Services API (JSR-172),Wireless Messaging API (JSR-120), Wireless Messaging API (JSR-205)		
d. 240*320 Pixels	6270(+)	6265(+), 6265i(+), 6275(+)	CLDC 1.1,Wireless Messaging API (JSR-120),Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FileConnection and PIM API (JSR-75),Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API		
e. 240*320 Pixels	6280 (+)	6282(+),6288(+)	CLDC 1.1,Wireless Messaging API (JSR-120),Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Scalable 2D Vector Graphics API (JSR-226), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82),MIDP 2.0, Nokia UI API		
f. 240*320 Pixels	7370(+)		CLDC 1.1,Wireless Messaging API (JSR-120),Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Scalable 2D Vector Graphics API (JSR-226), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0,Nokia UI API		
g. 240*320 Pixels	6131(+)	6126(+),6133(+), 6131 NFC(+), 6233(+), 6234 (+), 6300(+), 8600 Luna(+)	FileConnection and PIM API (JSR-75),CLDC 1.1,Nokia UI API, Wireless Messaging API (JSR-205), Mobile 3D Graphics API (JSR-184),Bluetooth API (JSR-82),MIDP 2.0, JTWI (JSR-185),Mobile Media API (JSR-135), Scalable 2D Vector Graphics API (JSR-226),Wireless Messaging API (JSR-120),Web Services API (JSR-172)		
h. 240*320 Pixels	5300(+)	7390(+), 7373(+)	MIDP 2.0,CLDC 1.1,Bluetooth API (JSR-82), FileConnection and PIM API (JSR-75),JTWI (JSR-185), Mobile 3D Graphics API (JSR-184), Mobile Media API (JSR-135), Nokia UI API,Scalable 2D Vector Graphics API (JSR-226), Security and Trust Services API (JSR-177), Web Services API (JSR-172), Wireless Messaging API (JSR-120), Wireless Messaging API (JSR-205)		
Series 40 5th edition					
a. 128*160 Pixels	1680 classic(+)	7070 Prism(+)	CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 135 Mobile Media API, JSR 177 Security and Trust Services API,JSR 185 JTWI, JSR 205 Wireless Messaging API, Nokia UI API		
b. 128*160 Pixels	2760(+)	2630(+), 2660(+), 2600 classic(+), 2680 slide (+), 2330 classic(+), 2323 classic(+), 2720(+), 2720 fold (+), 2220 slide(+)	CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 135 Mobile Media API, JSR 177 Security and Trust Services API, JSR 185 JTWI, JSR 205 Wireless Messaging API, Nokia UI API		
c. 240*320 Pixels	5000(+)	7100 Supremova(+)	CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 135 Mobile Media API, JSR 177 Security and Trust Services API, JSR 185 JTWI, JSR 205 Wireless Messaging API, Nokia UI API		
d. 240*320 Pixels	6267(+)	7500 Prism(+), 6555(+), 6263(+), 3610 fold(+)	CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 120 Wireless Messaging API, JSR 135 Mobile Media API, JSR 172 Web Services API, JSR 177 Security and Trust Services API, JSR 184 Mobile 3D Graphics API, JSR 185 JTWI, JSR 205 Wireless Messaging API, JSR 226 Scalable 2D Vector Graphics API, JSR 234 Advanced Multimedia Supplements, JSR 248 Mobile Service Architecture for CLDC, Nokia UI API		
e. 128*160 Pixels	3555(+)	2690(+)	CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 120 Wireless Messaging API, JSR 135 Mobile Media API, JSR 172 Web Services API, JSR 177 Security and Trust Services API, JSR 205 Wireless Messaging API, JSR 211 Content Handler API, JSR 226 Scalable 2D Vector Graphics API, JSR 234 Advanced Multimedia Supplements, JSR 248 Mobile Service Architecture for CLDC, Nokia UI API		
Nokia (contd)					
f. 240*320 Pixels	6500 slide(+)	6500 classic(+), 7900 Prism(+), 5610 XpressMusic(+), 5310 XpressMusic(+), 6301(+), 8800 Arte(+), 3120 classic(+), 6300 (+), 6212 classic(+), 5020 XpressMusic(+), 3600 slide(+), 6600 fold(+), 6600 slide(+),7210 Supremova(+), 7310 Supremova(+), 7610 Supremova(+), 5220 XpressMusic(+), 5130 XpressMusic(+), 2700 classic(+), 6208 classic (+), 2730(+), 6600i slide(+), 2700 classic(+)	CLDC 1.1, MIDP 2.1, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API, JSR 120 Wireless Messaging API, JSR 135 Mobile Media API, JSR 172 Web Services API, JSR 177 Security and Trust Services API, JSR 184 Mobile 3D Graphics API, JSR 185 JTWI, JSR 205 Wireless Messaging API, JSR 211 Content Handler API, JSR 226 Scalable 2D Vector Graphics API, JSR 234 Advanced Multimedia Supplements, JSR 248 Mobile Service Architecture for CLDC, Nokia UI API		
Series 40 6th edition					

a. 240*320 Pixels	7510 Supernova(+)	3710(+), 6303 classic(+), 6700 classic(+), 5330 XpressMusic(+), 7020(+), 5330 Mobile TV Edition(+), 7230(+), 2710 Navigation Edition(+), X3(+), 6750 Mural(+), 3720 Classic(+), 7230(+)	CLDC 1.1, MIDP 2.1, JSR 135 Mobile Media API 1.1, JSR 172 Web Services Specification, JSR 177 Security and Trust Services API (CRYPTO and PKI packages), JSR 177 Security and Trust Services API (SATSA-APDU package), JSR 177 Security and Trust Services API (SATSA-CRYPTO package), JSR 179 Location API for 1.0, JSR 184 Mobile 3D Graphics API 1.1, JSR 205 Wireless Messaging API 2.0, JSR 211 Content Handler API, JSR 226 Scalable 2D Vector Graphics API, JSR 234 Advanced Multimedia Supplements - JSR 234 Advanced Multimedia Supplements 1.0 (audio3d), JSR 234 Advanced Multimedia Supplements 1.0 (music), JSR 248 Mobile Service Architecture for CLDC, JSR 75 FileConnection and PIM API, JSR 82 Bluetooth API 1.1, Nokia UI API 1.1
b. 320*480 Pixels	6260 Slide(+)		CLDC 1.1, MIDP 2.1, JSR 248 Mobile Service Architecture Subset for CLDC, JSR 75 FileConnection and PIM API, JSR 82 Java™ APIs for Bluetooth 1.1, JSR 135 Mobile Media API 1.1, JSR 172 J2ME™ Web Services Specification (RPC package), JSR 172 J2ME™ Web Services Specification (XML Parser package), JSR 177 Security and Trust Services API for J2ME™ (SATSA-APDU package), JSR 177 Security and Trust Services API for J2ME™ (SATSA-CRYPTO package), JSR 179 Location API for J2ME™ 1.0, JSR 184 Mobile 3D Graphics API for J2ME™ 1.1, JSR 205 Wireless Messaging API 2.0, JSR 211 Content Handler API, JSR 226 Scalable 2D Vector Graphics API, JSR 234 Advanced Multimedia Supplements 1.1 (audio3d), JSR 234 Advanced Multimedia Supplements 1.1 (camera)[1], JSR 234 Advanced Multimedia Supplements 1.1 (music) Nokia UI API 1.1a
S60 1st edition			
a. 176*208 Pixels	3650	3 6 0 0 , 3 6 2 0 , 3 6 6 0 , 7 6 5 0	CLDC 1.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), MIDP 1.0, Nokia UI API
S60 2nd edition			
a. 176*208 Pixels	6600	6620(+)	CLDC 1.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Bluetooth API (JSR-82 No OBEX), MIDP 2.0, Nokia UI API
b. 176*208 Pixels	7610(+)	6260(+), 6670(+)	CLDC 1.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Bluetooth API (JSR-82 No OBEX), MIDP 2.0, Nokia UI API
c. 176*208 Pixels	3230(+)		CLDC 1.0, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135) Bluetooth API (JSR-82 No OBEX), MIDP 2.0, Nokia UI API
d. 176*208 Pixels	6630(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82 No OBEX), MIDP 2.0, Nokia UI API
e. 176*208 Pixels	6680(+)	6681(+), 6682(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82 No OBEX), MIDP 2.0, Nokia UI API
f. 176*208 pixels	N70(+)	N72(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
g. 352 * 416 pixels	N90(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
S60 3rd Edition			
a. 176*208 pixels	3250(+)	N91(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
b. 240*320 Pixels	N93(+)	N93(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
c. 240*320 Pixels	N71(+)	N73(+), N75(+), N92(+), E50(+), N77(+), E65(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
d. 320*240 Pixels	E61(+)	E62(+), E61(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
e. 208*208	5500(+)		CLDC 1.1, Mobile Media API (JSR-135), Wireless Messaging API (JSR-120), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
f. 352*416 pixels	E70(+)	E60(+), N80(+)	CLDC 1.1, Mobile Media API (JSR-135), Web Services API (JSR-172), Security and Trust Services API (JSR-177), Location API (JSR-179), SIP API (JSR-180), Mobile 3D Graphics API (JSR-184), JTWI (JSR-185), Wireless Messaging API (JSR-205), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82), MIDP 2.0, Nokia UI API
S60 3rd Edition Feature Pack 1			
a. 240*320 Pixels	N95(+)	6290(+), N76(+), 6110 Navigator(+), 5700 XpressMusic(+), 6120 Classic(+), 6121 Classic(+), N95-3(+), N95 8GB(+), N91(+), N81 8GB(+), E51(+), N82(+), 6124 classic(+), E66(+)	CLDC 1.1, Mobile Media API (JSR 135), Web Services API (JSR 172), Security and Trust Services API (JSR 177), Location API (JSR 179), SIP API (JSR 180), Mobile 3D Graphics API (JSR 184), JTWI (JSR 185), Wireless Messaging API (JSR 205), Scalable 2D Vector Graphics API (JSR 226), Advanced, Multimedia Supplements (JSR 234), FileConnection and PIM API (JSR 75), Bluetooth API (JSR 82), MIDP 2.0, Nokia UI API
b. 320*240 Pixels	E71(+)	E63(+)	CLDC 1.1, Mobile Media API (JSR 135), Web Services API (JSR 172), Security and Trust Services API (JSR 177), Location API (JSR 179), SIP API (JSR 180), Mobile 3D Graphics API (JSR 184), JTWI (JSR 185), Wireless Messaging API (JSR 205), Scalable 2D Vector Graphics API (JSR 226), Advanced, Multimedia Supplements (JSR 234), FileConnection and PIM API (JSR 75), Bluetooth API (JSR 82), MIDP 2.0, Nokia UI API
c. 800*352	E90 Communicator(+)		CLDC 1.1, Mobile Media API (JSR 135), Web Services API (JSR 172), Security and Trust Services API (JSR 177), Location API (JSR 179), SIP API (JSR 180), Mobile 3D Graphics API (JSR 184), JTWI (JSR 185), Wireless Messaging API (JSR 205), Scalable 2D Vector Graphics API (JSR 226), Advanced, Multimedia Supplements (JSR 234), FileConnection and PIM API (JSR 75), Bluetooth API (JSR 82), MIDP 2.0, Nokia UI API
S60 3rd Edition Feature Pack 2			
a. 240*320 Pixels	N78(+)	N66(+), 6220 classic(+), 6210 Navigator(+), 6650(+), 5320 XpressMusic(+), N78(+), N65(+), N86 BMP(+), 5730 XpressMusic(+), 6720 classic(+), 6710 Navigator(+), E75(+), E55(+), 5630 XpressMusic(+), 6790(+), E52(+), 6730 Classic(+), 6760 Slide(+), 6786(+), 6700 Slide(+)	CLDC 1.1, Mobile Media API (JSR 135), Web Services API (JSR 172), Security and Trust Services API (JSR 177), Location API (JSR 179), SIP API (JSR 180), Mobile 3D Graphics API (JSR 184), JTWI (JSR 185), Wireless Messaging API (JSR 205), Scalable 2D Vector Graphics API (JSR 226), Advanced, Multimedia Supplements (JSR 234), JSR 248 Mobile Service Architecture for CLDC, FileConnection and PIM API (JSR 75), Bluetooth API (JSR 82), MIDP 2.0, Nokia UI API
S60 5th Edition			

	a. 360*640 Pixels	N97(+)	5800 XpressMusic(+), 5230(+), X6(+), N97 mini(+), 5235(+), 5530 XpressMusic(+)	JSR 139 Connected Limited Device Configuration (CLDC) 1.1, JSR 118 MIDP 2.1, JSR 248 Mobile Service Architecture Subset for CLDC, JSR 75 FileConnection and PIM API, JSR 82 Java™ APIs for Bluetooth 1.1, JSR 135 Mobile Media API 1.1, JSR 172 J2ME™ Web Services Specification, JSR 172 J2ME™ Web Services Specification (RPC package), JSR 172 J2ME™ Web Services Specification (XML Parser package), JSR 177 Security and Trust Services API for J2ME™, JSR 177 Security and Trust Services API for J2ME™ (SATS-CRYPTO package), JSR 177 Security and Trust Services API for J2ME™ (SATS-PKI package), JSR 179 Location API for J2ME™ 1.0, JSR 184 Mobile 3D Graphics API for J2ME™ 1.1, JSR 205 Wireless Messaging API 2.0, JSR 226 Scalable 2D Vector Graphics API for J2ME™ 1.1, JSR 234 Advanced Multimedia Supplements 1.1, JSR 234 Advanced Multimedia Supplements 1.1 (audio3d), JSR 234 Advanced Multimedia Supplements 1.1 (music), JSR 256 Mobile Sensor API, IAP Info API, eSWT UI API 1.0.3, Nokia UI API 1.2		
Nokia (contd)						
	Series 80					
	Developer Platform 2.0					
	a. 640*200 Pixels	9500(+)	9300(+), 9300(+)	CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), CDC (JSR-36), Foundation Profile (JSR-46), Personal Profile (JSR-62), FileConnection and PIM API (JSR-75), Bluetooth API (JSR-82 No OBEX), MIDP 2.0, Nokia UI API		
	Other					
	a. 640*320 Pixels	7710(+)		CLDC 1.1, Wireless Messaging API (JSR-120), Mobile Media API (JSR-135), Bluetooth API (JSR-82 No OBEX), MIDP 2.0, Nokia UI API		
LG						
	176x220	U8500(+)	U8290(+)	CLDC 1.1 (JSR-139), MIDP 2.0 (JSR-118), WMA 1.1 (JSR-120), MMAPI 1.1 (JSR-135), JTWI R1 (JSR-185), PIM and File Connection API (JSR-75)		
Devices in BLACK are MIDP 1.0 devices						
Devices in BLUE are MIDP 2.0 devices						
Devices marked with (*) have the Unified Testing Initiative (UTI) root certificate available						
Sony Ericsson Legend						
	* x stands for i (Europe), or c (China) or a (Americas)					
	** Z1010 does not support 3D API (as all other in the same family) J300x does not have a camera K310 Does not support Bluetooth (JSR 82) W380x, W350x, Z555x Does not support: JSR82 (Bluetooth), JSR 234 (AMS), JSR-135 (audio playback only), K630, V640 Does not support JSR 179 (Location API)					
	*** Covers testing requiring SMS API supported in T616 or T637					
	**** JP-7 Platform. Some functionality like Wall paper and auto starting MIDlets is only supported in updated phone software.					
	***** Support for extra gaming buttons.					
Devices Supporting VF Live! Legend						
	* Devices that could act as lead device ONLY if a test house do not have the first lead device choice available.					
	Please note some devices are advertised in the Vodafone Group Drop list with a letter 'V' after the name of the terminal. The 'V' stands for Vodafone and only highlight slight changes in the device. Vodafone accepts applications tested and certified on the valid version of each device model. Example Samsung Z140 is equivalent to Samsung Z140v.					
Clarification Notes on Re-testing						
	-Testing done with the lead device					
	-First test:					
	*Multilanguage applications (JAD/JAR pair): 1 full test + other languages LO1					
	*Single language applications (JAD/JAR pair): full test per language					
	(i.e full functionality and full localisation criteria performed)					
	-Retest when previous round failed:					
	*First round tests + RE1 & RE2					
	-Retesting for alternative device from the same manufacturer					
	*Full test excluding: UI2, UI3, LO2, LO3 & LO4, and including RE2					
	-Retesting for alternative device for different manufacturer					
	*First test					
	-Retesting an application with only manifest file changes					

